

Since 1987

®



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



*The  
Super Fan*



*Since* 1987



the SUPER fan



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY

Since 1987, We Shambhu Nath Bros. are producing excellent quality fans for Domestic and Industrial purposes in our own Kolkata's factory throughout the year.

Fan is now one of the most essential commodities in India.

Depending upon the customer's feedback our all engineers and technical persons are always trying their best to improve the quality and produce more and more better performing products.

So, our product is now considered as one of the super quality fans in India.

Here we associate all type of models with different size (sweep), colour and technical specifications as per the requirement of the consumers ie, their room or office size, interior decoration etc.





the SUPER fan



48" CHOCOLATE



AN ISO 9001:2015 CERTIFIED COMPANY

### KEY FEATURES

- Simple & elegant design.
- Copper winded motor for longer life.
- Aluminium alloy blades for seamless air flow.
- Available in stunning colour combinations.



48" SILKY GREEN



225 Air Delivery  
(cmm)



1200mm  
sweep



70 Input Power  
(in watt)



360 Speed  
(in RPM)






the SUPER fan



**48" OPTIMA BROWN**  
(MATT-FINISH)



AN ISO 9001:2015 CERTIFIED COMPANY



## KEY FEATURES

- Modern look with minimalistic design.
- Newly designed motor for less power consumption.
- Copper winded motor for longer life.
- Aluminium alloy blades for seamless air flow.



**48" OPTIMA WHITE**  
(GLOSSY-FINISH)



215 Air Delivery  
(cmm)



1200mm  
sweep



50 Input Power  
(in watt)



360 Speed  
(in RPM)







the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY




48" OPTIMA DYNORA

48" OPTIMA BLUE CAT

### KEY FEATURES

- Dual tone glossy paint finish.
- Aerodynamically designed curved blade for better air thrust.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.



215 Air Delivery  
(cmm)



1200mm  
sweep



50 Input Power  
(in watt)



360 Speed  
(in RPM)






AN ISO 9001:2015 CERTIFIED COMPANY



## KEY FEATURES

- Beautiful screen printed blade.
- Dual-tone paint finish.
- Newly designed motor for less power consumption.

## 48" OPTIMA SUMMER QUEEN



215 Air Delivery  
(cmm)



1200mm  
sweep



50 Input Power  
(in watt)



360 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY




48" AUDI CREAM



48" AUDI BLACK

## KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.



215 Air Delivery  
(cmm)



1200mm  
sweep



50 Input Power  
(in watt)



360 Speed  
(in RPM)







the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY




48" AUDI SKY

48" AUDI GREEN

## KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.



215 Air Delivery  
(cmm)



1200mm  
sweep



50 Input Power  
(in watt)



360 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



48" AUDI CHOCOLATE



48" AUDI WHITE

### KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.



215 Air Delivery  
(cmm)




1200mm  
sweep




50 Input Power  
(in watt)



360 Speed  
(in RPM)





**48" GLITZ BROWN**  
(MATT-FINISH)

**BLDC**  
TECHNOLOGY

### KEY FEATURES

- Super efficient BLDC motor with 100% copper winding.
- Smart remote with smart features.
- Reverse rotation for winter season.
- 5 star rated BLDC fan runs upto 3 times longer in inverter.
- Aerodynamically designed blade for high air thrust.
- Smooth powder coated paint finish.



**210 Air Delivery**  
(cmm)




**1200mm**  
sweep



**30 Input Power**  
(in watt)




**360 Speed**  
(in RPM)





AN ISO 9001:2015 CERTIFIED COMPANY

**BLDC**  
TECHNOLOGY



**48" GLITZ WHITE**  
(GLOSSY-FINISH)

## KEY FEATURES

- Super efficient BLDC motor with 100% copper winding.
- Smart remote with smart features.
- Reverse rotation for winter season.
- 5 star rated BLDC fan runs upto 3 times longer in inverter.
- Aerodynamically designed blade for high air thrust.
- Smooth powder coated paint finish.



210 Air Delivery  
(cmm)



1200mm  
sweep



30 Input Power  
(in watt)



360 Speed  
(in RPM)





the SUPER fan



48" DIVA

## KEY FEATURES

- Robust & reliable BLDC motor with 100% copper winding.
- Smart remote with reverse rotation.
- Beautifully crafted led light with fan speed indication.
- Aerodynamically specially desinged longer blade leaves to give more air delivery.
- Stabilizer free functioning (120v – 280v).
- High quality powder coated finish.

Fan Performance In Boost Mode.



245 Air Delivery  
(cmm)



1200mm  
sweep



35 Input Power  
(in watt)




370 Speed  
(in RPM)



AN ISO 9001:2015 CERTIFIED COMPANY

**BLDC**  
TECHNOLOGY







the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



**36" CHOCOLATE (Hi-Speed)**

### KEY FEATURES

- Copper winded high speed motor.
- Glossy powder coated finish.
- Aerodynamically designed blades for high air thrust.



**36" WHITE (Hi-Speed)**



150 Air Delivery  
(cmm)



900mm  
sweep



80 Input Power  
(in watt)



650 Speed  
(in RPM)





the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



**36" BLUE CAT (Hi-Speed)**

### KEY FEATURES

- Fully copper winded motor for durability.
- Dual tone finish.
- Curved blade for high air delivery.



150 Air Delivery  
(cmm)



900mm  
sweep



80 Input Power  
(in watt)



650 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



**36" DECO MAROON  
(Hi-Speed)**

### KEY FEATURES

- Copper wound high speed motor.
- Metallic powder coated glittering finish.
- Aerodynamically designed blades for high air thrust.
- Extra Sweep for more air delivery.



160 Air Delivery  
(cmm)



910mm  
sweep



82 Input Power  
(in watt)



650 Speed  
(in RPM)





the SUPER fan



**36" DECO BLACK  
(Hi-Speed)**



AN ISO 9001:2015 CERTIFIED COMPANY

### KEY FEATURES

- Copper winded high speed motor.
- Metallic powder coated glittering finish.
- Aerodynamically designed blades for high air thrust.
- Extra Sweep for more air delivery.



160 Air Delivery  
(cmm)



910mm  
sweep



82 Input Power  
(in watt)



650 Speed  
(in RPM)





the SUPER fan



**24" CHOCOLATE (Hi-Speed)**

### KEY FEATURES

- Fully copper winded motor for durability.
- Powder coated finish for longer life.
- High air thrust.



125 Air Delivery  
(cmm)



600mm  
sweep



75 Input Power  
(in watt)



850 Speed  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY





the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



**24" BLUE CAT (Hi-Speed)**



**24" RED ROSE (Hi-Speed)**

### KEY FEATURES

- Dual colour combination to enhance the beauty of your home decor.
- Superior paint finish for longer life.
- Curved blades for high air thrust.



125 Air Delivery  
(cmm)



600mm  
sweep



75 Input Power  
(in watt)



850 Speed  
(in RPM)





the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



**48" CHOCOLATE (Hi-Speed)**

### KEY FEATURES

- Special designed high speed motor.
- Powder coated glossy finish for superior aesthetics.
- Curved blades for utmost air thrust.



240 Air Delivery  
(cmm)



1200mm  
sweep



80 Input Power  
(in watt)



425 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



56" CHOCOLATE

### KEY FEATURES

- Glossy powder coated finish.
- Heavy duty motor for better performance.
- Longer blades for more air delivery.



265 Air Delivery  
(cmm)



1400mm  
sweep



80 Input Power  
(in watt)



310 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



### **12" CABIN FAN DELUX (Hi-Speed)**

#### **KEY FEATURES**

- Specially designed copper winded high speed motor.
- Gyroscopic movement for changing wind direction.
- Aerodynamically designed blade with better air delivery.



300mm  
sweep



3000 Air Delivery  
(cmh)



2400 Speed  
(in RPM)





the SUPER fan



## 12" MULTI PURPOSE FAN (Hi-Speed)

### KEY FEATURES

- Unique rocker arrangement.
- Multi-purpose user advantage.
- Heavy duty motor provides high air thrust.



300mm  
sweep



3000 Air Delivery  
(cmh)



2400 Speed  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



### KEY FEATURES

- Compact & elegant design.
- Jerk free smooth oscillation.
- Corrosion resistant powder coated metal guard.
- 3 speed switch control.

### 16" ATLAS-2 TABLE FAN (Hi-Speed)



400mm  
sweep



5650 Air Delivery  
(cmh)



2400 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



**16" PEDESTAL FAN (Hi-Speed)**

### KEY FEATURES

- Dual colour design with attractive style.
- Copper winded motor for good performance & longer life.
- Aerodynamic resin blades for high air thrust with low noise.
- Jerk free and uniform oscillation.
- 3-step piano switch for speed control.



400mm  
sweep



5650 Air Delivery  
(cmh)



2400 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



**20" RACER-I (BLACK)**

### KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.



8600 Air Delivery  
(cmh)



500mm  
sweep



110 Input Power  
(in watt)



1450 Speed  
(in RPM)






the SUPER fan



**20" RACER-II (GREY)**

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

### KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.



8600 Air Delivery  
(cmh)



500mm  
sweep



110 Input Power  
(in watt)



1450 Speed  
(in RPM)





the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



**20" RACER-I (OSCILLATING BLACK)**

### KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.
- Jerk free and uniform oscillating.



8600 Air Delivery  
(cmh)



500mm  
sweep



110 Input Power  
(in watt)



1450 Speed  
(in RPM)







the SUPER fan



## 20" FARRATA WALL FAN - OSCILLATING

### KEY FEATURES

- Sleek & aerodynamic aluminium metallic paint blade add to the elegance.
- Specially designed high torque motor.
- Pull cord mechanism for ON/OFF & speed control.
- Elegant piano switch for both side 90 degree jerk free oscillation.



8600 Air Delivery  
(cmh)



500mm  
sweep



110 Input Power  
(in watt)



1450 Speed  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



**24" AIR CIRCULATOR**

### **KEY FEATURES**

- Powerful air circulator motor for high air thrust & air delivery.
- Spiral designed guard for maximum safety.
- Air direction control by telescopic height adjustment.
- Narrow profile with aerodynamically designed blades for low noise.
- Rotary switch for 3- step speed control.

**All metal construction**



**16500 Air Delivery**  
(cmh)



**600mm**  
sweep



**160 Input Power**  
(in watt)



**1450 Speed**  
(in RPM)





the SUPER fan



## 24" AIR CIRCULATOR WALL BRACKET

### KEY FEATURES

- Powerful air circulator motor for high air thrust & air delivery.
- Spiral designed guard for maximum safety.
- Narrow profile with aerodynamically designed blades for low noise.
- Robust bracket is used for holding the fan strongly.
- Ideal for industrial use.



16500 Air Delivery  
(cmh)



600mm  
sweep



160 Input Power  
(in watt)



1450 Speed  
(in RPM)



AN ISO 9001:2015 CERTIFIED COMPANY



the SUPER fan



## 6" AXIAL FAN

### KEY FEATURES

- Low noise and light weight fan.
- Rust proof body & blade.
- Axial flow fan with hidden blades & streamlined design.



240 Air Delivery  
(cmh)



150mm  
sweep



20 Input Power  
(in watt)



2000 Speed  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



### 8" VENTILAIR FAN

#### KEY FEATURES

- Low noise and light weight fan.
- Rust proof body & blade.
- Waves of fresh breeze with streamlined design.

NOISELESS

WITH  
**30%**  
MORE AIR



550 Air Delivery  
(cmh)



200mm  
sweep



32 Input Power  
(in watt)



1300 Speed  
(in RPM)







the SUPER fan



### 6" EXHAUST FAN (Hi-Speed)

#### KEY FEATURES

- Heavy duty 4-blade fan with powerful motor.
- Double 'Z' shielded ball bearings for long life.
- Aerodynamically designed blades sucks-out maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation.



550 Air Delivery  
(cmh)



150mm  
sweep



48 Input Power  
(in watt)



2700 Speed  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



the SUPER fan



**9" EXHAUST FAN**

### **KEY FEATURES**

- Heavy duty 4-blade fan with powerful motor.
- Double 'Z' shielded ball bearings for long life.
- Aerodynamically designed blades sucks-out maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation.



**850 Air Delivery**  
(cmh)



**225mm**  
sweep



**45 Input Power**  
(in watt)



**1400 Speed**  
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



the SUPER fan

## Performance Details

Supply Voltage Range : 220-240 AC 50Hz

TYPE	SWEEP in mm	RPM
<b>CEILING FANS</b>		
BLDC ★★★★★	1200	360
OPTIMA ★	1200	360
AUDI CREAM ★	1200	360
AUDI BLACK ★	1200	360
AUDI WHITE ★	1200	360
AUDI GREEN ★	1200	360
AUDI SKY ★	1200	360
DELUX	1200	360
DELUX	1400	310
DELUX HI SPEED	600	850
DELUX HI SPEED	900	650
DELUX HI SPEED	1200	425

TYPE	SWEEP in mm	RPM
<b>TABLE &amp; PEDESTAL FANS</b>		
ATLAS-2 TABLE FAN HI-SPEED	400	2400
PEDESTAL HI-SPEED	400	2400
<b>CABIN FAN</b>		
DELUXE HI-SPEED	300	2400
MULTI PURPOSE	300	2400
<b>EXHAUST &amp; AIR CIRCULATOR</b>		
AXIAL FAN	150	2000
VENTILAIR	200	1300
EXHAUST FAN	150	2700
EXHAUST FAN	225	1400
RACER	500	1450
AIR-CIRCULATOR FAN	600	1450

**Ceiling Fans:** Their elegant styling and powder coated finish fitted with precision double ball bearings and aerodynamically balanced blades make them work wonder.

**Table & Pedestal Fans:** Available in exquisite designs and pleasing colour combinations, fitted with self oiling bush bearings.



AN ISO 9001:2015 CERTIFIED COMPANY

HOW TO GET THE RIGHT TOOFAN CEILING FAN FOR YOUR ROOM	
Room Size	Fan Size
12'X14' or 15'X15'	1400 mm. (56")
10'X12' or 12'X12'	1200 mm. (48")
8'X8' or 7'X9'	900 mm. (36")
6'X6' or 6'X7'	600 mm. (24")

### -: IMPORTANT :-

. To optimise air-delivery your Toofan fan should be approximately 10' from the ground and 1' below the ceiling.

.. for large rooms with more than one fan, the centre distance between each will depend on the sweeps:

Sweep:	1400 mm.	1200 mm.	900 mm.	600 mm.
Centre distance:	3 m.	2.5 m.	1.8 m.	1.2 m.

*Toofan Ceiling Fans are  
Warranted for Two Years*

**SHAMBHU NATH & BROS.  
KOLKATA - INDIA**

www.toofanfans.in  
E-mail : s.n.bros1978@gmail.com

Edition - 2025/09

