

Since 1987[®]




the SUPER fan

JAS-ANZ
C
MEMBER OF MULTILATERAL
IAF
RECOGNITION ARRANGEMENT
AN ISO 9001:2015 CERTIFIED COMPANY



The Super Fan



Since 1987



the SUPER fan



the SUPER fan

A Message from the Founder



For nearly four decades, Toofan has stood for one simple belief - that "true quality" never goes out of style. What began in 1987 as a modest manufacturing vision has grown into a legacy built on trust, precision, and relentless improvement. Every fan we create carries not just engineering excellence, but our commitment to craftsmanship and durability.

As we introduce the Toofan Premium Collection, we step into a new era - where performance meets refined design, and innovation aligns with elegance. This collection is created for those who appreciate detail, value reliability, and believe comfort should be experienced - not heard.

Our journey has always been guided by one principle:

Deliver more than expected. Every time.

Thank you for being part of our legacy.

Founder,

Shambhu Nath Jaiswal



AN ISO 9001:2015 CERTIFIED COMPANY





the SUPER fan



संस्थापक का संदेश



लगभग चार दशकों से, TOOFAN एक सरल विश्वास का प्रतीक रहा है - कि "सच्ची गुणवत्ता" कभी पुरानी नहीं होती।

1987 में एक विनम्र निर्माण दृष्टि के रूप में जो शुरुआत हुई, वह आज विश्वास, सटीकता और निरंतर सुधार पर आधारित एक विरासत बन चुकी है। हमारे द्वारा निर्मित हर पंखा केवल इंजीनियरिंग उत्कृष्टता ही नहीं, बल्कि शिल्प कौशल और टिकाऊपन के प्रति हमारी प्रतिबद्धता को भी दर्शाता है। TOOFAN प्रीमियम कलेक्शन के साथ हम एक नए युग में प्रवेश कर रहे हैं - जहाँ प्रदर्शन परिष्कृत डिज़ाइन से मिलता है और नवाचार सौंदर्य के साथ संतुलित होता है। यह कलेक्शन उन लोगों के लिए तैयार किया गया है जो बारीकियों को समझते हैं, विश्वसनीयता को महत्व देते हैं और मानते हैं कि आराम को महसूस किया जाना चाहिए - सुना नहीं जाना चाहिए।

हमारी यात्रा हमेशा एक सिद्धांत से प्रेरित रही है:

हर बार अपेक्षा से अधिक प्रदान करना।

हमारी विरासत का हिस्सा बनने के लिए आपका धन्यवाद।

संस्थापक, TOOFAN

S. N. Jayaswal

शंभू नाथ जायसवाल



Since 1987[®]



the SUPER fan



48" OPTIMA BROWN
(MATT-FINISH)




48" OPTIMA WHITE
(GLOSSY-FINISH)

JAS-ANZ




AN ISO 9001:2015 CERTIFIED COMPANY



KEY FEATURES

- Modern look with minimalistic design.
- Newly designed motor for less power consumption.
- Copper winded motor for longer life.
- Aluminium alloy blades for seamless air flow.



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



48" OPTIMA BLUE CAT

48" OPTIMA DYNORA

KEY FEATURES

- Dual tone glossy paint finish.
- Aerodynamically designed curved blade for better air thrust.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.

POWER SAVINGS GUIDE

ENERGY EFFICIENCY
Service Value - 4.5+

Label Period: 01st January, 2026 to 31st December, 2028

Appliance Type	: Ceiling Fan
Brand	: tooFan
Model name/year	: OPTIMA 1200 MM/2026
Motor Type	: Induction
Sweep Size (mm)	: 1200 mm
Power Input (watts)	: 47 watts
Air Delivery (cu m ³ min)	: 215 cu m ³ min

*Label not applicable, when used in accordance with IS 11273, 2013 (including its amendments).
#Label is for reference only and not for warranty.



215 Air Delivery (cmm)



1200mm sweep



47 Input Power (in watt)



360 Speed (in RPM)



Since 1987[®]



the SUPER fan



JAS-ANZ




AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Beautiful screen printed blade.
- Dual-tone paint finish.
- Newly designed motor for less power consumption.

48" OPTIMA SUMMER QUEEN



 215 Air Delivery (cmm)

 1200mm sweep

 47 Input Power (in watt)

 360 Speed (in RPM)



Since 1987

®



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



48" AUDI (MK-I)
CREAM



48" AUDI (MK-I)
SKY

KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.

POWER SAVINGS GUIDE

MORE STARS
MORE SAVINGS

ENERGY EFFICIENCY
Service Value - 4.5*

Label Period: 01st January, 2026 to 31st December, 2028

Appliance Type	: Ceiling Fan
Brand	: toofan
Model name/year	: AUDI MK-I/2026
Motor Type	: Induction
Sweep Size (mm)	: 1200 mm
Power input (watts)	: 47 watts
Air Delivery (cu mt/min)	: 215 Cu mt/min

*Based on conditions, after taking a comprehensive view of the following all parameters. Actual service value may vary upon site conditions.

215 Air Delivery (cmm)

1200mm sweep

47 Input Power (in watt)

360 Speed (in RPM)



Since 1987 [®]



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



48" AUDI (MK-I)
BLACK



48" AUDI (MK-I)
GREEN

KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.

 215 Air Delivery (cmm)

 1200mm sweep

 47 Input Power (in watt)

 360 Speed (in RPM)



POWER SAVINGS GUIDE

MORE STARS
MORE SAVINGS

ENERGY EFFICIENCY
Service Value - 4.5*

Label Period: 01st January, 2020 to 31st December, 2020

Appliance Type	: Ceiling Fan
Brand	: tooFan
Model name/year	: AUDI MK-I/2020
Motor Type	: Induction
Sweep Size (mm)	: 1200 mm
Power Input (watts)	: 47 watts
Air Delivery (cu m/ min)	: 215 cu m/ min

* Under test conditions, after testing in accordance with IS 1210: 2015 (Modifying of amendments). Appliance tested under the test procedure specified.

Since 1987 [®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



48" AUDI (MK-I)
CHOCOLATE



48" AUDI (MK-I)
WHITE

KEY FEATURES

- Beautifully crafted decorative fan with golden ring.
- Attractive designed trims on the blades.
- Newly designed motor for less power consumption.
- Available in stunning colour combinations.

 215 Air Delivery (cmm)

 1200mm sweep

 47 Input Power (in watt)

 360 Speed (in RPM)



POWER SAVINGS GUIDE

MORE STARS
MORE SAVINGS

ENERGY EFFICIENCY
Service Value - 4.5+

Label Period: 01st January, 2020 to 31st December, 2020

Appliance Type	: Ceiling Fan
Brand	: tooFan
Model name/year	: AUDI MK-I/2026
Motor Type	: Induction
Sweep Size (mm)	: 1200 mm
Power Input (watts)	: 47 watts
Air Delivery (cu m/ min)	: 215 cu m/ min

Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY




48" GLITZ BROWN
(MATT-FINISH)

BLDC
TECHNOLOGY

KEY FEATURES

- Super efficient BLDC motor with 100% copper winding.
- Smart remote with smart features.
- Reverse rotation for winter season.
- 5 star rated BLDC fan runs upto 3 times longer in inverter.
- Aerodynamically designed blade for high air thrust.
- Smooth powder coated paint finish.



210 Air Delivery (cmm)

1200mm sweep

30 Input Power (in watt)

360 Speed (in RPM)



Since 1987[®]



the SUPER fan



48" GLITZ WHITE
(GLOSSY-FINISH)

KEY FEATURES

- Super efficient BLDC motor with 100% copper winding.
- Smart remote with smart features.
- Reverse rotation for winter season.
- 5 star rated BLDC fan runs upto 3 times longer in inverter.
- Aerodynamically designed blade for high air thrust.
- Smooth powder coated paint finish.



210 Air Delivery
(cmm)



1200mm
sweep



30 Input Power
(in watt)



360 Speed
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

BLDC
TECHNOLOGY



Since 1987[®]



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY

BLDC
TECHNOLOGY



48" DIVA COCOA



48" DIVA BUTTERSCOTCH



48" DIVA WHITE



KEY FEATURES

- Robust & reliable BLDC motor with 100% copper winding.
- Smart remote with reverse rotation.
- Beautifully crafted led light with fan speed indication.
- Aerodynamically specially desinged longer blade leaves to give more air delivery.
- Stabilizer free functioning (120v - 280v).
- High quality powder coated finish.

Fan Performance In Boost Mode.



245 Air Delivery (cmm)



1200mm sweep



30 Input Power (in watt)



370 Speed (in RPM)



POWER SAVINGS GUIDE

MORE STARS MORE SAVINGS

ENERGY EFFICIENCY Service Value - 7.0*

Label Period: 01st January, 2008 to 31st December, 2023

Appliance Type	: Ceiling Fan
Brand	: toofan
Model name/year	: DIVA/2025
Motor Type	: BLDC
Sweep Size (mm)	: 1200 mm
Power input (watts)	: 30 watts
Air Delivery(cu m/ min)	: 210 cu m/ min

* Under best conditions, when tested & approved as per IS 1702: 2018, Ministry of Power, Govt. of India.

Since 1987

®



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



36" CHOCOLATE (Hi-Speed)

KEY FEATURES

- Copper wined high speed motor.
- Glossy powder coated finish.
- Aerodynamically designed blades for high air thrust.



150 Air Delivery
(cmm)



900mm
sweep



80 Input Power
(in watt)



650 Speed
(in RPM)



Since 1987[®]



the SUPER fan



36" WHITE (Hi-Speed)

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Copper winded high speed motor.
- Glossy powder coated finish.
- Aerodynamically designed blades for high air thrust.



150 Air Delivery
(cmm)



900mm
sweep



80 Input Power
(in watt)



650 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



36" BLUE CAT (Hi-Speed)

KEY FEATURES

- Fully copper wined motor for durability.
- Dual tone finish.
- Curved blade for high air delivery.



150 Air Delivery (cmm)



900mm sweep



80 Input Power (in watt)



650 Speed (in RPM)



Since 1987 [®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



**36" DECO MAROON
(Hi-Speed)**

KEY FEATURES

- Copper wined high speed motor.
- Metallic powder coated glittering finish.
- Aerodynamically designed blades for high air thrust.
- Extra Sweep for more air delivery.



160 Air Delivery
(cmm)



910mm
sweep



82 Input Power
(in watt)



650 Speed
(in RPM)



Since 1987[®]



the SUPER fan



**36" DECO BLACK
(Hi-Speed)**

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Copper winded high speed motor.
- Metallic powder coated glittering finish.
- Aerodynamically designed blades for high air thrust.
- Extra Sweep for more air delivery.



160 Air Delivery
(cmm)



910mm
sweep



82 Input Power
(in watt)



650 Speed
(in RPM)



Since 1987[®]



the SUPER fan



24" CHOCOLATE (Hi-Speed)



24" WHITE (Hi-Speed)

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Fully copper wined motor for durability.
- Powder coated finish for longer life.
- High air thrust.



125 Air Delivery
(cmm)



600mm
sweep



75 Input Power
(in watt)



850 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



24" BLUE CAT (Hi-Speed)



24" RED ROSE (Hi-Speed)

KEY FEATURES

- Dual colour combination to enhance the beauty of your home decor.
- Superior paint finish for longer life.
- Curved blades for high air thrust.



125 Air Delivery
(cmm)



600mm
sweep



75 Input Power
(in watt)



850 Speed
(in RPM)



Since 1987[®]



the SUPER fan



AN ISO 9001:2015 CERTIFIED COMPANY



48" CHOCOLATE (Hi-Speed)

KEY FEATURES

- Special designed high speed motor.
- Powder coated glossy finish for superior aesthetics.
- Curved blades for utmost air thrust.



240 Air Delivery (cmm)



1200mm sweep



80 Input Power (in watt)



425 Speed (in RPM)



Since 1987[®]



the SUPER fan



48" CHOCOLATE



48" SILKY GREEN

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Simple & elegant design.
- Copper winded motor for longer life.
- Aluminium alloy blades for seamless air flow.
- Available in stunning colour combinations.



225 Air Delivery
(cmm)



1200mm
sweep



70 Input Power
(in watt)



360 Speed
(in RPM)



HI-VELOCITY



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



56" CHOCOLATE

KEY FEATURES

- Glossy powder coated finish.
- Heavy duty motor for better performance.
- Longer blades for more air delivery.



265 Air Delivery
(cmm)



1400mm
sweep



80 Input Power
(in watt)



310 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



12" CABIN FAN DELUX (Hi-Speed)

KEY FEATURES

- Specially designed copper winded high speed motor.
- Gyroscopic movement for changing wind direction.
- Aerodynamically designed blade with better air delivery.



300mm
sweep



3000 Air Delivery
(cmh)



2400 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



12" MULTI PURPOSE FAN (Hi-Speed)

KEY FEATURES

- Unique rocker arrangement.
- Multi-purpose user advantage.
- Heavy duty motor provides high air thrust.



300mm
sweep



3000 Air Delivery
(cmh)



2400 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



KEY FEATURES

- Compact & elegant design.
- Jerk free smooth oscillation.
- Corrosion resistant powder coated metal guard.
- 3 speed switch control.

16" ATLAS-2 TABLE FAN (Hi-Speed)



400mm
sweep



5650 Air Delivery
(cmh)



2400 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



16" PEDESTAL FAN (Hi-Speed)

KEY FEATURES

- Dual colour design with attractive style.
- Copper winded motor for good performance & longer life.
- Aerodynamic resin blades for high air thrust with low noise.
- Jerk free and uniform oscillation.
- 3-step piano switch for speed control.



400mm
sweep



5650 Air Delivery
(cmh)



2400 Speed
(in RPM)



Since 1987[®]



the SUPER fan



20" RACER-I (BLACK)

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.



8600 Air Delivery
(cmh)



500mm
sweep



110 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan



20" RACER-II (GREY)

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.



8600 Air Delivery
(cmh)



500mm
sweep



110 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



20" RACER-I (OSCILLATING BLACK)

KEY FEATURES

- Powerful fan with high air thrust .
- Rugged motor for a host of applications.
- Heavy metal body & blades for stability & durability.
- 3-step rotary switch for speed control.
- Jerk free and uniform oscillating.



8600 Air Delivery
(cmh)



500mm
sweep



110 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



20" FARRATA WALL FAN - OSCILLATING

KEY FEATURES

- Sleek & aerodynamic aluminium metallic paint blade add to the elegance.
- Specially designed high torque motor.
- Pull cord mechanism for ON/OFF & speed control.
- Elegant piano switch for both side 90 degree jerk free oscillation.



8600 Air Delivery
(cmh)



500mm
sweep



110 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



24" AIR CIRCULATOR

KEY FEATURES

- Powerful air circulator motor for high air thrust & air delivery.
- Spiral designed guard for maximum safety.
- Air direction control by telescopic height adjustment.
- Narrow profile with aerodynamically designed blades for low noise.
- Rotary switch for 3- step speed control.

All metal construction



16500 Air Delivery
(cmh)



600mm
sweep



160 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



24" AIR CIRCULATOR WALL BRACKET

KEY FEATURES

- Powerful air circulator motor for high air thrust & air delivery.
- Spiral designed guard for maximum safety.
- Narrow profile with aerodynamically designed blades for low noise.
- Robust bracket is used for holding the fan strongly.
- Ideal for industrial use.



16500 Air Delivery
(cmh)



600mm
sweep



160 Input Power
(in watt)



1450 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



6" AXIAL FAN

KEY FEATURES

- Low noise and light weight fan.
- Rust proof body & blade.
- Axial flow fan with hidden blades & streamlined design.



240 Air Delivery
(cmh)



150mm
sweep



20 Input Power
(in watt)



2000 Speed
(in RPM)



Since 1987[®]



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



NOISELESS

WITH
30%
MORE AIR

KEY FEATURES

- Low noise and light weight fan.
- Rust proof body & blade.
- Waves of fresh breeze with streamlined design.

8" VENTILAIR FAN



550 Air Delivery
(cmh)



200mm
sweep



32 Input Power
(in watt)



1300 Speed
(in RPM)



Since 1987[®]



the SUPER fan



6" EXHAUST FAN (Hi-Speed)

KEY FEATURES

- Heavy duty 4-blade fan with powerful motor.
- Double 'Z' shielded ball bearings for long life.
- Aerodynamically designed blades sucks-out maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation.



550 Air Delivery
(cmh)



150mm
sweep



48 Input Power
(in watt)



2700 Speed
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

Since 1987[®]



the SUPER fan



9" EXHAUST FAN

KEY FEATURES

- Heavy duty 4-blade fan with powerful motor.
- Double 'Z' shielded ball bearings for long life.
- Aerodynamically designed blades sucks-out maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation.



850 Air Delivery
(cmh)



225mm
sweep



45 Input Power
(in watt)



1400 Speed
(in RPM)



JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY

Since 1987

®



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY



Since 1987

®



the SUPER fan

JAS-ANZ



AN ISO 9001:2015 CERTIFIED COMPANY





the SUPER fan

Performance Details

Supply Voltage Range : 220-240 AC 50Hz

TYPE	SWEEP in mm	RPM
CEILING FANS		
BLDC ★★★★★	1200	360/370
OPTIMA ★	1200	360
AUDI CREAM ★	1200	360
AUDI BLACK ★	1200	360
AUDI WHITE ★	1200	360
AUDI GREEN ★	1200	360
AUDI SKY ★	1200	360
DELUX	1200	360
DELUX	1400	310
DELUX HI SPEED	600	850
DELUX HI SPEED	900	650
DELUX HI SPEED	1200	425

TYPE	SWEEP in mm	RPM
TABLE & PEDESTAL FANS		
ATLAS-2 TABLE FAN HI-SPEED	400	2400
PEDESTAL HI-SPEED	400	2400
CABIN FAN		
DELUXE HI-SPEED	300	2400
MULTI PURPOSE	300	2400
EXHAUST & AIR CIRCULATOR		
AXIAL FAN	150	2000
VENTILAIR	200	1300
EXHAUST FAN	150	2700
EXHAUST FAN	225	1400
RACER	500	1450
AIR-CIRCULATOR FAN	600	1450

Ceiling Fans: Their elegant styling and powder coated finish fitted with precision double ball bearings and aerodynamically balanced blades make them work wonder.

Table & Pedestal Fans: Available in exquisite designs and pleasing colour combinations, fitted with self oiling bush bearings.



AN ISO 9001:2015 CERTIFIED COMPANY

Customer Care:

TOLL FREE No. : 7620-300-800

Email id: service@toofanfans.in

HOW TO GET THE RIGHT TOOFAN CEILING FAN FOR YOUR ROOM	
Room Size	Fan Size
12'X14' or 15'X15'	1400 mm. (56")
10'X12' or 12'X12'	1200 mm. (48")
8'X8' or 7'X9'	900 mm. (36")
6'X6' or 6'X7'	600 mm. (24")

-: IMPORTANT :-

. To optimise air-delivery your Toofan fan should be approximately 10' from the ground and 1' below the ceiling.

.for large rooms with more than one fan, the centre distance between each will depend on the sweeps:

Sweep:	1400 mm.	1200 mm.	900 mm.	600 mm.
Centre distance:	3 m.	2.5 m.	1.8 m.	1.2 m.

*Toofan Ceiling Fans are
Warranted for Two Years*

**SHAMBHU NATH & BROS.
KOLKATA - INDIA**

www.toofanfans.in
E-mail : s.n.bros1978@gmail.com

Edition - 2026/03

